box expert

Wall Mounting Cabinets

Series FLEET

TECHNICAL FEATURES

RESISTANCE	Alkali, oils, salts, etc.
OPERATING TEMPERATURE	-35°C / +65°C
MATERIAL	ABS
MOUNTING PLATE	Galvanised steel 1mm
PROTECTION DEGREE	IP65
IMPACT RESISTANCE	IK08
COLOUR	RAL7035 light grey
SET CONSISTING OF	- base, - door with rubber gasket, - mounting plate (sheet steel, galvanised), - 4 wall mounting brackets, - triangle locking key, - mounting screws
APPROVAL	CE RoHS 2

SECURITY LOCK (optional, order separately)

- Suitable for all housings of the Fleet series
- Security lock with handle and two keys

Article No.:
BXPPLOCK

- SET CONSISTING OF
  - 1x security lock with handle
  - 2x keys

DIMENSIONS - Grey Door

MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)
BXPPABSG200300130-F01	300 x 200 x 130	250 x 143 x 119	1,7
BXPPABSG250350150-F01	350 x 250 x 150	300 x 195 x 139	2,2
BXPPABSG300400170-F01	400 x 300 x 170	352 x 245 x 159	3,0
BXPPABSG300400220-F01	400 x 300 x 220	348 x 241 x 209	3,4
BXPPABSG350500190-F01	500 x 350 x 190	448 x 291 x 179	4,3
BXPPABSG400500175-F01	500 x 400 x 175	451 x 344 x 151	4,3
BXPPABSG400500240-F01	500 x 400 x 240	447 x 340 x 229	5,6
BXPPABSG400600200-F01	600 x 400 x 200	538 x 350 x 189	6,0
BXPPABSG500700250-F01	700 x 500 x 250	650 x 443 x 239	10,1
BXPPABSG600800260-F01	800 x 600 x 260	732 x 550 x 250	13,5

TRANSPARENT DOOR

TECHNICAL FEATURES

RESISTANCE	Alkali, oils, salts, etc.
OPERATING TEMPERATURE	-35°C / +65°C
MATERIAL	ABS, Polycarbonate (Door)
MOUNTING PLATE	Galvanised steel 1mm
PROTECTION DEGREE	IP65
IMPACT RESISTANCE	IK08
COLOUR	RAL7035 light grey, transparent door
SET CONSISTING OF	- base, - door with rubber gasket, - mounting plate (sheet steel, galvanised), - 4 wall mounting brackets, - triangle locking key, - mounting screws
APPROVAL	CE RoHS2

SECURITY LOCK (optional, order separately)

- Suitable for all housings of the Fleet series
- Security lock with handle and two keys

Article No.:
BXPPLOCK

- SET CONSISTING OF
  - 1x security lock with handle
  - 2x keys

DIMENSIONS - Transparent Door

MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)
BXPPABST200300130-F01	300 x 200 x 130	250 x 143 x 119	1,7
BXPPABST250350150-F01	350 x 250 x 150	300 x 195 x 139	2,2
BXPPABST300400170-F01	400 x 300 x 170	352 x 245 x 159	3,0
BXPPABST300400220-F01	400 x 300 x 220	348 x 241 x 209	3,4
BXPPABST350500190-F01	500 x 350 x 190	448 x 291 x 179	4,3
BXPPABST400500175-F01	500 x 400 x 175	451 x 344 x 151	4,3
BXPPABST400500240-F01	500 x 400 x 240	447 x 340 x 229	5,6
BXPPABST400600200-F01	600 x 400 x 200	538 x 350 x 189	6,0
BXPPABST500700250-F01	700 x 500 x 250	650 x 443 x 239	10,1
BXPPABST600800260-F01	800 x 600 x 260	732 x 550 x 250	13,5

Breuell Ingenieurbüro GmbH
Grützmühlenweg 46 - 22339 Hamburg
(+49) 040-538092-255 (+49) 040-538092-85
info@boxexpert.de www.boxexpert.de

Realized by lilocrea.fr - 2019