



Terminal Junction Box

Series HANSE-KPL

TECHNICAL FEATURES

● OPERATING TEMPERATURE	-25°C...+40°C
● MATERIAL	ABS, halogen-free, UV-resistant
● PROTECTION DEGREE	IP66 (IP55 without sealing plug)
● IMPACT RESISTANCE	IK 07
● FLAMMABILITY	UL 94 HB
● COLOUR	RAL 7035 light grey

● SET CONSISTING OF

- Base
- Cover with rubber gasket
- Mounting screws (stainless steel V2A)
- Sealing plugs
- Sealing diaphragm

● APPROVAL




SEALING DIAPHRAGM

Metrical knock-outs and supplied sealing membranes allow uncomplicated cable entry without additional tools. Furthermore, the protection class of IP66 is not negatively affected.

DIMENSIONS - Without Terminal

MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)
BXPKABS888853-H01	88 x 88 x 53	80 x 80 x 36	0,13
BXPKABS989861-H01	98 x 98 x 61	90 x 90 x 53	0,16
BXPKABS11913970-H01	119 x 139 x 70	110 x 130 x 61	0,28
BXPKABS12516782-H01	125 x 167 x 82	118 x 159 x 72	0,36
BXPKABS16020098-H01	160 x 200 x 98	152 x 190 x 86	0,55



TECHNICAL FEATURES

● OPERATING TEMPERATURE	-25°C...+40°C
● MATERIAL	ABS, halogen-free, UV-resistant
● PROTECTION DEGREE	IP66 (IP55 without sealing plug)
● IMPACT RESISTANCE	IK 07
● FLAMMABILITY	UL 94 HB
● COLOUR	RAL 7035 light grey

● SET CONSISTING OF

- Base
- Cover with rubber gasket
- Connection terminal
- Mounting screws (stainless steel V2A)
- Sealing plugs
- Sealing diaphragm

● APPROVAL



TERMINALS

The enclosures of the Hanse-KPL series are available with pre-assembled connection terminal.

This ensures a quick installation.

DIMENSIONS - With Terminal

MODEL	OUTER L x W x H (mm)	INNER L x W x H (mm)	WEIGHT (kg)	POLES	TERMINAL TYPE
BXPKABS888853-H02	88 x 88 x 53	80 x 80 x 36	0,15	5	20A - 25A
BXPKABS989861-H02	98 x 98 x 61	90 x 90 x 53	0,18	5	25A - 32A
BXPKABS11913970-H02	119 x 139 x 70	110 x 130 x 61	0,33	5	32A - 50A
BXPKABS12516782-H02	125 x 167 x 82	118 x 159 x 72	0,51	5	50A - 65A
BXPKABS16020098-H02	160 x 200 x 98	152 x 190 x 86	0,75	5	80A - 100A



Breuell Ingenieurbüro GmbH

📍 Grützmühlenweg 46 - 22339 Hamburg

☎ (+49) 040-538092-255

☎ (+49) 040-538092-85

✉ info@boxexpert.de

🌐 www.boxexpert.de

