



Wall Mounting Cabinets

Series FLEET PRO

TECHNICAL FEATURES



• RESISTANCE	Chemical agents, alkali, oils, salts, etc.	• SET CONSISTING OF
• OPERATING TEMPERATURE	-35°C / +65°C	
• MATERIAL	HB ABS	
• MOUNTING PLATE	Galvanised steel 1mm	
• PROTECTION DEGREE	IP67	
• IMPACT RESISTANCE	IK08	
• COLOUR	RAL7035 light grey (optional customizable colors)	• APPROVAL

- Base
- Door with rubber gasket
- Mounting plate (sheet steel, galvanised)
- 4 wall mounting brackets
- Mounting screws
- Triangle locking key



IP67 PROTECTION RATING

Enhanced ingress protection (IP67) ensures reliable operation in harsh environmental conditions, offering complete dust ingress prevention and protection against temporary submersion in water up to 1 meter.



CUSTOMIZABLE COLOR OPTIONS

Available with colored plastic bars and a customizable nameplate, enabling personalized enclosure designs to suit customer specifications and aesthetic preferences.







HIGH-DURABILITY DOOR HINGE

Utilizes a robust plastic hinge mechanism, optimized for superior protection and extended operational lifespan, ensuring consistent performance in demanding conditions.



2 INSTALLATION POSITIONS FOR WALL MOUNTING

The wall mounting brackets can be installed either vertically or horizontally - depending on the desired direction. Both positions offer a secure hold and flexible adaptation to the respective installation situation.



Outside



Inside

ENHANCED LOCKING MECHANISM


Advanced lock design engineered for secure and durable performance, ensuring long-term reliability under frequent usage and varying environmental factors.



Locking key



DIMENSIONS



OUTER L x W x H (mm)	OPAQUE DOOR Model	TRANSPARENT DOOR Model
300 x 200 x 130	BXPPROAG300200130-F01	BXPPROAT300200130-F01
350 x 250 x 150	BXPPROAG350250150-F01	BXPPROAT350250150-F01
400 x 300 x 170	BXPPROAG400300170-F01	BXPPROAT400300170-F01
400 x 300 x 220	BXPPROAG400300220-F01	BXPPROAT400300220-F01
450 x 350 x 170	BXPPROAG450350170-F01	BXPPROAT450350170-F01
500 x 400 x 180	BXPPROAG500400180-F01	BXPPROAT500400180-F01
500 x 400 x 240	BXPPROAG500400240-F01	BXPPROAT500400240-F01
600 x 400 x 200	BXPPROAG600400200-F01	BXPPROAT600400200-F01
600 x 500 x 230	BXPPROAG600500230-F01	BXPPROAT600500230-F01
700 x 500 x 250	BXPPROAG700500250-F01	BXPPROAT700500250-F01
800 x 600 x 260	BXPPROAG800600260-F01	BXPPROAT800600260-F01



Breuell Ingenieurbüro GmbH

📍 Grützmlhlenweg 46 - 22339 Hamburg

☎ (+49) 040-538092-255 🖨 (+49) 040-538092-85

✉ info@boxexpert.de 🌐 www.boxexpert.de

